

Double Bass > Steel Strings > Passione

www.pirastro.com November 20, 2025

Page 1 of 4



Passione

- rope core steel strings
- especially suited for arco
- round, noble and very warm sound
- big tone, powerful volume
- instantaneous response
- short sustain

DESCRIPTION

Passione Double Bass Strings

Features

- The core material is a high-tensile rope made from carbon steel which is wound with chrome steel.
- round, noble and very warm sound fundament combined with a complex overtone spectrum which results in a deep sound
- great projection
- big tone, powerful volume
- especially suited for arco
- response: instantaneous and very flexible, clear distinction between the notes in fast passages

- only little bow pressure needed for the sound production as the string vibrates very easily
- immediate playability and absolute tuning stability
- 5-string set: Due to the reduced tension of the B5string the set vibrates freely.
- Gauge "strong": Compared to the medium orchestra set the sound is more brilliant and the string tension is higher.



www.pirastro.com November 20, 2025

Page 2 of 4

Double Bass > Steel Strings > Passione

Set

- Orchestra tuning
- Solo tuning

Variations

- E 2.10m
- B5
- C High Solo
- CIS5 Solo

Gauges

- medium
- strong

Sizes

• 3/4

DETAILS

PASSIONE - BREAK NEW GROUNDS: Free your arco playing. Impress your audience with your sound!

While developing the Passione for the orchestra bassist we have not made any compromises in the construction of the string in order to offer optimal sound and playability characteristics. The result is a set of double bass strings which offers outstanding arco playability and an inspiring diversity of sounds. It allows the bassist to use all possible bow strokes to create the desired sound.

The core sound is full, round and warm and has a complex overtone spectrum which results in a deep and noble sound with great projection and power.

The sustain characteristics of the string allow a strong, big and warm pizzicato – Bass PASSIONE is a modern and very reliable steel core string suitable for the ambitious bassist.

The response is incredibly easy and flexible. The notes are separate and distinctively clean when played in fast passages. No matter whether playing Spiccato or Legato, the sound can be altered as desired not depending on the bowing speed.

The big advantage of the Passione strings is that the sound does not need to be developed by using excess bow pressure as the strings vibrate freely and easily. The set is extremely well-balanced concerning tension and sound. Immediate playability and exceptional tuning stability are important additional advantages which offer great comfort to the bassist.

Strings Handmade in Germany Strings \cdot Rosin \cdot Accessories \cdot since 1798



Double Bass > Steel Strings > Passione

www.pirastro.com November 20, 2025

Page 3 of 4

OPTIONS

G Orchestra Rope Core/Chrome Steel 3/4 27,9 349120 D Orchestra Rope Core/Chrome Steel 3/4 28,8 349220 A Orchestra Rope Core/Chrome Steel 3/4 30,3 349320 E Orchestra Rope Core/Chrome Steel 3/4 28,5 349420 SET Orchestra Mittel 3/4 28,5 349620 B5 Orchestra Rope Core/Chrome Steel 3/4 28,5 349520 G Orchestra Rope Core/Chrome Steel 3/4 28,2 349130 D Orchestra Rope Core/Chrome Steel 3/4 28,8 349130 E Orchestra Rope Core/Chrome Steel 3/4 32,8 349130 E Orchestra Rope Core/Chrome Steel 3/4 32,1 349330 E Orchestra Rope Core/Chrome Steel 3/4 31,8 349330 E 2.10m Orchestra Rope Core/Chrome Steel 3/4 32,1 349330 B5 Orchestra Rope Core/Chrome Steel 3/4 30,9 349530 B6	TONE	ITEM DESCRIPTION	SIZE	kg	PEG END	TAILPIECE END	ART.NO.
A Orchestra Rope Core/Chrome Steel 3/4 30,3 349320 E Orchestra Rope Core/Chrome Steel 3/4 28,5 349420 SET Orchestra Mittel 3/4 349620 E 2.10m Orchestra Rope Core/Chrome 3/4 28,5 349620 B5 Orchestra Rope Core/Chrome Steel 3/4 30,9 349520 G Orchestra Rope Core/Chrome Steel 3/4 28,8 349330 D Orchestra Rope Core/Chrome Steel 3/4 32,1 349330 E Orchestra Rope Core/Chrome Steel 3/4 31,8 349330 E Orchestra Rope Core/Chrome Steel 3/4 31,8 349330 E 2.10m Orchestra Rope Core/Chrome Steel 3/4 31,8 349330 E 2.10m Orchestra Rope Core/Chrome Steel 3/4 31,8 349330 E 2.10m Orchestra Rope Core/Chrome Steel 3/4 31,8 349330 E 349630 B5 Orchestra Rope Core/Chrome Steel 3/4 32,1 349630 B5 Orchestra Rope Core/Chrome Steel 3/4 32,1 349530 A1 Solo Rope Core/Chrome Steel 3/4 30,9 349100 E2 Solo Rope Core/Chrome Steel 3/4 30,9 349300 F1S4 Solo Rope Core/Chrome Steel 3/4 30,9 349400 SET Solo Apple Core/Chrome Steel 3/4 30,9 349900 C High Solo Rope Core/Chrome Steel 3/4 30,9 349920	G	Orchestra Rope Core/Chrome Steel	3/4	27,9			349120
E Orchestra Rope Core/Chrome Steel 3/4 28,5 349020 E 2.10m Orchestra Rope Core/Chrome 3/4 28,5 349620 B5 Orchestra Rope Core/Chrome Steel 3/4 30,9 349520 G Orchestra Rope Core/Chrome Steel 3/4 28,2 349130 D Orchestra Rope Core/Chrome Steel 3/4 28,8 349230 A Orchestra Rope Core/Chrome Steel 3/4 32,1 349330 E Orchestra Rope Core/Chrome Steel 3/4 31,8 349430 SET Orchestra Stark 3/4 31,8 349630 B5 Orchestra Rope Core/Chrome Steel 3/4 32,1 349630 B5 Orchestra Rope Core/Chrome Steel 3/4 31,8 349630 B5 Orchestra Rope Core/Chrome Steel 3/4 32,1 349630 B5 Orchestra Rope Core/Chrome Steel 3/4 32,1 349630 B5 Orchestra Rope Core/Chrome Steel 3/4 30,9 349100 E2 Solo Rope Core/Chrome Steel 3/4 30,9 349200 B3 Solo Rope Core/Chrome Steel 3/4 30,9 349200 B3 Solo Rope Core/Chrome Steel 3/4 30,9 349400 SET Solo 3/4 30,9 349920	D	Orchestra Rope Core/Chrome Steel	3/4	28,8			349220
SET Orchestra Mittel 3/4 349020 E 2.10m Orchestra Rope Core/Chrome 3/4 28,5 349620 B5 Orchestra Rope Core/Chrome Steel 3/4 30,9 349520 G Orchestra Rope Core/Chrome Steel 3/4 28,2 349130 D Orchestra Rope Core/Chrome Steel 3/4 28,8 349230 A Orchestra Rope Core/Chrome Steel 3/4 32,1 349330 E Orchestra Rope Core/Chrome Steel 3/4 31,8 349430 SET Orchestra Rope Core/Chrome Steel 3/4 31,8 349630 B5 Orchestra Rope Core/Chrome Steel 3/4 32,1 349530 A1 Solo Rope Core/Chrome Steel 3/4 30,9 349100 E2 Solo Rope Core/Chrome Steel 3/4 30,9 349300 FIS4 Solo Rope Core/Chrome Steel 3/4 30,9 349300 SET Solo 3/4 30,9 349400 SET Solo 3/4 30,9	А	Orchestra Rope Core/Chrome Steel	3/4	30,3			349320
E 2.10m Orchestra Rope Core/Chrome 3/4 28,5 349620 B5 Orchestra Rope Core/Chrome Steel 3/4 30,9 349520 G Orchestra Rope Core/Chrome Steel 3/4 28,2 349130 D Orchestra Rope Core/Chrome Steel 3/4 28,8 349230 A Orchestra Rope Core/Chrome Steel 3/4 31,8 349330 E Orchestra Rope Core/Chrome Steel 3/4 31,8 349430 SET Orchestra Rope Core/Chrome Steel 3/4 31,8 349630 B5 Orchestra Rope Core/Chrome Steel 3/4 32,1 349530 A1 Solo Rope Core/Chrome Steel 3/4 30,9 349100 E2 Solo Rope Core/Chrome Steel 3/4 30,9 349200 B3 Solo Rope Core/Chrome Steel 3/4 30,9 349300 FIS4 Solo Rope Core/Chrome Steel 3/4 30,9 349400 SET Solo 3/4 30,9 349400 C High Solo Rope Core/Chrome Steel 3/4 30,9 349920	Е	Orchestra Rope Core/Chrome Steel	3/4	28,5			349420
B5 Orchestra Rope Core/Chrome Steel 3/4 30,9 349520 G Orchestra Rope Core/Chrome Steel 3/4 28,2 349130 D Orchestra Rope Core/Chrome Steel 3/4 28,8 349230 A Orchestra Rope Core/Chrome Steel 3/4 32,1 349330 E Orchestra Rope Core/Chrome Steel 3/4 31,8 349430 SET Orchestra Rope Core/Chrome 3/4 31,8 349630 B5 Orchestra Rope Core/Chrome Steel 3/4 32,1 349530 A1 Solo Rope Core/Chrome Steel 3/4 30,9 349100 E2 Solo Rope Core/Chrome Steel 3/4 31,2 349300 B3 Solo Rope Core/Chrome Steel 3/4 31,2 349300 FIS4 Solo Rope Core/Chrome Steel 3/4 30,9 349400 SET Solo 3/4 30,9 349000 C High Solo Rope Core/Chrome Steel 3/4 30,9 349000	SET	Orchestra Mittel	3/4				349020
G Orchestra Rope Core/Chrome Steel 3/4 28,2 349130 D Orchestra Rope Core/Chrome Steel 3/4 28,8 349230 A Orchestra Rope Core/Chrome Steel 3/4 32,1 349330 E Orchestra Rope Core/Chrome Steel 3/4 31,8 349030 SET Orchestra Rope Core/Chrome 3/4 31,8 349630 B5 Orchestra Rope Core/Chrome Steel 3/4 32,1 349530 A1 Solo Rope Core/Chrome Steel 3/4 30,9 349100 E2 Solo Rope Core/Chrome Steel 3/4 30,9 349200 B3 Solo Rope Core/Chrome Steel 3/4 31,2 349300 FIS4 Solo Rope Core/Chrome Steel 3/4 30,9 349400 SET Solo 3/4 30,9 349000 C High Solo Rope Core/Chrome Steel 3/4 30,9 349920	Е	2.10m Orchestra Rope Core/Chrome	3/4	28,5		_=	349620
D Orchestra Rope Core/Chrome Steel 3/4 28,8 349230 A Orchestra Rope Core/Chrome Steel 3/4 32,1 349330 E Orchestra Rope Core/Chrome Steel 3/4 31,8 349430 SET Orchestra Stark 3/4 31,8 349030 E 2.10m Orchestra Rope Core/Chrome Steel 3/4 32,1 349630 B5 Orchestra Rope Core/Chrome Steel 3/4 30,9 349530 A1 Solo Rope Core/Chrome Steel 3/4 30,9 349200 B3 Solo Rope Core/Chrome Steel 3/4 31,2 349300 FIS4 Solo Rope Core/Chrome Steel 3/4 30,9 349400 SET Solo 3/4 30,9 349400 C High Solo Rope Core/Chrome Steel 3/4 30,9 349200	B5	Orchestra Rope Core/Chrome Steel	3/4	30,9		_=	349520
A Orchestra Rope Core/Chrome Steel 3/4 32,1 349330 E Orchestra Rope Core/Chrome Steel 3/4 31,8 349430 SET Orchestra Stark 3/4 31,8 349630 E 2.10m Orchestra Rope Core/Chrome 3/4 31,8 349630 B5 Orchestra Rope Core/Chrome Steel 3/4 32,1 349530 A1 Solo Rope Core/Chrome Steel 3/4 30,9 349100 E2 Solo Rope Core/Chrome Steel 3/4 31,2 349300 B3 Solo Rope Core/Chrome Steel 3/4 30,9 349400 SET Solo 3/4 30,9 349000 C High Solo Rope Core/Chrome Steel 3/4 30,9 349920	G	Orchestra Rope Core/Chrome Steel	3/4	28,2		_=	349130
E Orchestra Rope Core/Chrome Steel 3/4 31,8 349430 SET Orchestra Stark 3/4 31,8 349030 E 2.10m Orchestra Rope Core/Chrome 3/4 31,8 349630 B5 Orchestra Rope Core/Chrome Steel 3/4 32,1 349530 A1 Solo Rope Core/Chrome Steel 3/4 30,9 349100 E2 Solo Rope Core/Chrome Steel 3/4 30,0 349200 B3 Solo Rope Core/Chrome Steel 3/4 31,2 349300 FIS4 Solo Rope Core/Chrome Steel 3/4 30,9 349400 SET Solo 3/4 30,9 349920 C High Solo Rope Core/Chrome Steel 3/4 30,9 349920	D	Orchestra Rope Core/Chrome Steel	3/4	28,8		_=	349230
SET Orchestra Stark 3/4 349030 E 2.10m Orchestra Rope Core/Chrome 3/4 31,8 349630 B5 Orchestra Rope Core/Chrome Steel 3/4 32,1 349530 A1 Solo Rope Core/Chrome Steel 3/4 30,9 349100 E2 Solo Rope Core/Chrome Steel 3/4 30,0 349200 B3 Solo Rope Core/Chrome Steel 3/4 31,2 349300 FIS4 Solo Rope Core/Chrome Steel 3/4 30,9 349400 SET Solo 3/4 30,9 349000 C High Solo Rope Core/Chrome Steel 3/4 30,9 349920	Α	Orchestra Rope Core/Chrome Steel	3/4	32,1		-=	349330
E 2.10m Orchestra Rope Core/Chrome 3/4 31,8 349630 B5 Orchestra Rope Core/Chrome Steel 3/4 32,1 349530 A1 Solo Rope Core/Chrome Steel 3/4 30,9 349100 E2 Solo Rope Core/Chrome Steel 3/4 30,0 349200 B3 Solo Rope Core/Chrome Steel 3/4 31,2 349300 FIS4 Solo Rope Core/Chrome Steel 3/4 30,9 349400 SET Solo 3/4 30,9 349920 C High Solo Rope Core/Chrome Steel 3/4 30,9 349920	Е	Orchestra Rope Core/Chrome Steel	3/4	31,8			349430
B5 Orchestra Rope Core/Chrome Steel 3/4 32,1 349530 A1 Solo Rope Core/Chrome Steel 3/4 30,9 349100 E2 Solo Rope Core/Chrome Steel 3/4 30,0 349200 B3 Solo Rope Core/Chrome Steel 3/4 31,2 349300 FIS4 Solo Rope Core/Chrome Steel 3/4 30,9 349400 SET Solo 3/4 30,9 349920 C High Solo Rope Core/Chrome Steel 3/4 30,9 349920	SET	Orchestra Stark	3/4				349030
A1 Solo Rope Core/Chrome Steel 3/4 30,9 349100 E2 Solo Rope Core/Chrome Steel 3/4 30,0 349200 B3 Solo Rope Core/Chrome Steel 3/4 31,2 349300 FIS4 Solo Rope Core/Chrome Steel 3/4 30,9 349400 SET Solo 3/4 30,9 349000 C High Solo Rope Core/Chrome Steel 3/4 30,9 349920	Е	2.10m Orchestra Rope Core/Chrome	3/4	31,8		-=	349630
E2 Solo Rope Core/Chrome Steel 3/4 30,0 349200 B3 Solo Rope Core/Chrome Steel 3/4 31,2 349300 FIS4 Solo Rope Core/Chrome Steel 3/4 30,9 349400 SET Solo 3/4 349000 C High Solo Rope Core/Chrome Steel 3/4 30,9 349920	B5	Orchestra Rope Core/Chrome Steel	3/4	32,1	-		349530
B3 Solo Rope Core/Chrome Steel 3/4 31,2 349300 FIS4 Solo Rope Core/Chrome Steel 3/4 30,9 349400 SET Solo 3/4 349000 C High Solo Rope Core/Chrome Steel 3/4 30,9 349920	A1	Solo Rope Core/Chrome Steel	3/4	30,9		_=	349100
FIS4 Solo Rope Core/Chrome Steel 3/4 30,9 349400 SET Solo 3/4 349000 C High Solo Rope Core/Chrome Steel 3/4 30,9 349920	E2	Solo Rope Core/Chrome Steel	3/4	30,0		-=	349200
SET Solo 3/4 349000 C High Solo Rope Core/Chrome Steel 3/4 30,9 349920	В3	Solo Rope Core/Chrome Steel	3/4	31,2		_=	349300
C High Solo Rope Core/Chrome Steel 3/4 30,9 349920	FIS4	Solo Rope Core/Chrome Steel	3/4	30,9			349400
	SET	Solo	3/4				349000
CIS5 Solo Rope Core/Chrome Steel 3/4 33,0 349500	С	High Solo Rope Core/Chrome Steel	3/4	30,9		O	349920
	CIS5	Solo Rope Core/Chrome Steel	3/4	33,0			349500



www.pirastro.com November 20, 2025

Page 4 of 4

Double Bass > Steel Strings > Passione

ROSIN

For best result we recommend that you use Bass mittel rosin.

Please note:

The entire content of this file (data, texts, images, illustrations, and information of all types) is protected under copyright and trademark law, where applicable also in favor of a third party. Therefore, it is not permissible to copy and distribute this file in its entirety or in part without the consent of the respective originator/copyright owner. Unaffected remains regulation § 53 UrhG (copying for private and other personal use).